
## WELCOME! WHO DO WE HAVE WITH US?

Using the annotation tool, place your mark in the box that most closely describes your affiliation.





# ALA WAI FLOOD RISK MANAGEMENT GENERAL RE-EVALUATION STUDY

## **INFORMATION FORUM**

US Army Corps of Engineers (USACE) City and County of Honolulu (CCH)

20 January 2022











# **TODAY'S AGENDA**



- 1. Introduction and opening remarks ← You are here!
- 2. Recap and (re-)orientation
- 3. Summary of study process and progress
- 4. Enhanced public engagement plan
- 5. Q & A
- 6. Wrap-up: ways to stay engaged



## **HOSTS & DISCUSSANTS**



#### Presenters:

- Cindy Acpal, Project Manager (USACE)
- Eric Merriam, PhD, PMP; Planner (USACE);
   Study Lead

#### MC / Lead Facilitator:

Tyson Vaughan, PhD; Sociologist (USACE)

### Discussants (USACE):

- Kelley Philbin, PE; Engineer (USACE);
   Technical Lead
- Jeffrey Herzog, Deputy Chief, Civil and Public Works (USACE)

#### Discussants (CCH):

- Alex Kozlov, PE; Director, Department of Design and Construction, City & County of Honolulu
- Haku Milles, PE, LEED AP; Deputy Director, Department of Design and Construction, City & County of Honolulu
- Matthew Gonser, AICP, CFM; Chief Resilience Officer, Office of Climate Change, Sustainability and Resiliency, City & County of Honolulu



# **GROUND RULES: PRESENTATIONS**



- 1. Post comments and questions in the chat, or hold until Q&A.
- 2. Keep your audio on mute during the presentations.
- 3. If you are having technical difficulties, let us know via the chat and/or email to Tyson Vaughan: <a href="mailto:Earl.T.Vaughan@usace.army.mil">Earl.T.Vaughan@usace.army.mil</a>.



# **OPENING REMARKS: DIR. ALEX KOZLOV**



- → A must do, capital flood mitigation project in the greater Ala Wai watershed
- For the protection of people, property and infrastructure
- Manage risk to the largest civilian economic engine in Hawaii
- → City Leadership is unambiguous in its commitment to the capital project
- Mayor actively participated in the entirety of the public outreach workshops in November.
- → This is not a comprehensive project to solve all problems in the watershed; it is just one piece, albeit an important one, which focuses specifically on reducing riverine flood risk.




# **RECAP: WHY WE ARE HERE**



Approximately 200,000 residents.

Economically important.

Infrastructure, critical facilities, and services.





## **RECAP: WHY WE ARE HERE**



Originally authorized project not federally justified

Current study <u>not constrained to the 1%</u> annual exceedance probability event


Current study funded to assess <u>riverine flooding</u>

Coastal processes & ecosystem improvements considered to extent they affect riverine flooding

## Objectives of current study:

- 1. Reduce risks to life and safety
- 2. Reduce economic damages to structures and infrastructure
- 3. Reduce economic impacts to commerce and tourism

Public input critical to overall success of study






# **NOVEMBER WORKSHOPS**



- 1. TRUST
- More participation in planning and decisionmaking process
- 3. Other frustrations with the USACE process
- 4. Please (re-)consider public input from prior Ala Wai studies



- 5. Agreement that some FRM solution is necessary
- 6. Optimism that an appropriate plan can be realized
- 7. Optimism that the current CCH administration will work with USACE to get it right



## STUDY PROCESS & PROGRESS



Identify problems & opportunities

Inventory & forecast conditions

Develop alternative plans

Evaluate & compare alternatives

- Public workshops
- Previous studies
- Site visits

- Model updates
- Env. Agencies & technical experts
- Data gathering
- Site visits

- Management measure tracker
- Sub-basin technical team meetings
- Screening

Not started



## **ENHANCED PUBLIC ENGAGEMENT: MEETINGS**





Identify
Opportunities
& Constraints

Inventory & forecast conditions

Develop Alternative Plans Evaluate Compare Alternatives

STUDY SCOPING

ALTERNATIVES
EVALUATION &
ANALYSIS

FEASIBILITY-LEVEL
ANALYSIS OF
SELECTED PLAN

CHIEF'S REPORT

Study initiation (June 30, 2021) Draft Report release (est. Sept 2022) Final Report release (est. Mar 2023) Signed Chief's Report (est. Jun 2023)

Opportunities, in the state of the state of

Phase 1
Public
Meetings
Reintroduce

Reintroduce study and initial input from public Nov 2021 Study Update

Discuss progress
& revised
engagement
strategy
Jan 20 2022

Sub-Basin workshops

Management measure development & screening (est. Mar-Apr 2022) Phase 2
Public

Meetings
Public input on
focused array
(est. Jun 2022)

Phase 3
Public

Meetings
Discuss TSP
presented in
Draft Report

(est. Sept-Nov 2022)

Phase 4
Public
Meetings

Discuss
Recommended Plan
in Final Report
(est. Jan-Feb 2023)

Final Feedback

Discuss remaining timeline & obtain feedback (est. Mar 2023)

0

Initial engagement opportunities



Additional engagement opportunities



## ENHANCED PUBLIC ENGAGEMENT: ONLINE



Website is central hub for online information and engagement

Updated public engagement plan/timeline

#### Responsive information:

- Revised FAQs
- Records of public meetings/engagements
- Explanations of complex issues (as needed)
- Management measure tracker

### Features for receiving information:

- Contact information, including email
- Submittal contact form
- Crowdsource Reporter (until Jan 31)



If you have an idea or comment – write! Via the email, comment form, or Crowdsource Reporter.



## ENHANCED PUBLIC ENGAGEMENT: ONLINE



#### Management measure tracker:

- Available on website
- Regularly updated
- Focused, real-time feedback on technical & planning process
- Current & previous study phases
- Approximately 180 measures currently in tracker

\*\*Technical team still identifying initial measures. Measures still being accepted from public

consideration Elevate canal walls Elevate canal walls Structural Ala Wai Canal Deepen the canal Deepen anal for periodic pump drainage to address inundation by all three sources of flooding Excavate to deepen the existing canal and stabilize existing floodwalls Deepen canal for periodic pump drainage to address inundation by all three sources of flooding Excavate to deepen the existing canal and stabilize existing floodwalls Deepen canal for periodic pump drainage to address inundation by all three sources of flooding Excavate to deepen the existing canal and stabilize consideration Dig existing walls deeper to turn the canal into a periodic pump drainage to address inundation by all Under consideration Exercise pump drainage to address inundation by all Under consideration Exercise pump drainage to address inundation by all Under consideration Exercise pump drainage to address inundation by all Under consideration Exercise pump drainage to address inundation by all Under consideration Exercise pump drainage to address inundation by all Under consideration Exercise pump trainage to address inundation by all Under consideration Exercise pump trainage to address inundation by all Under consideration Exercise pump trainage to address inundation by all Under consideration Exercise pump trainage to address inundation by all Under consideration Exercise pump trainage to address inundation by all Under consideration Exercise pump trainage to address inundation by all Under consideration Exercise pump trainage train						
the cuil de sac ending at Ala Moana Blvd, floods, Ala Wai canal in this area needs flap gates to keep Ala Wai Canal water from flooding streets.    Valida Canal water from flooding streets on the consideration of the co	Measure Name	Measure Type	<u>Location</u>	<u>Description</u>	<u>Status</u>	<u>Notes</u>
Ala Wai Blvd. between Kalakaua between K						
between Kalakaua drains Non-structural and Ala Moana Blvd. flooding streets.  Elevate canal walls Structural Ala Wai Canal floodwalls (and water from flooding streets).  Elevate canal walls Structural Ala Wai Canal floodwalls (and water from flooding streets).  Deepen the canal Structural Ala Wai Canal existing canal and stabilize consideration on periodic pump drainage to turn the canal into a periodic pump drainage to address inundation by all brief particular and crumbling consideration.  New canal walls Structural Ala Wai Canal three sources of flooding.  Widen canal Structural Ala Wai Canal and capacity by elevating the existing canal and stabilize consideration.  Dig existing walls deeper to turn the canal into a periodic pump drainage to address inundation by all brief particular and crumbling consideration.  New canal walls Structural Ala Wai Canal and crumbling consideration.  Widen canal Structural Ala Wai Canal and crumbling consideration.  Dredge canal to provide greater flow and storage with three courses of flooding consideration.  Widen the canal to provide greater flow and storage consideration.  Dredge canal down to its original depth of 15' to 25' under consideration.  Dredge Manoa-Palolo Structural Ala Wai Canal bredge the Manoa-Palolo channel consideration.  Dredge Manoa-Palolo Structural Ala Wai Canal love the community to conduct regular clean ups consideration.  Use "genki balls" to clean up and eliminate sludge in the canal.  Use "genki balls" to clean up and eliminate sludge in the canal.  Use "genki balls" to create a lower profile under consideration.						
Consideration   Consideratio			Ala Wai Blvd.			
Elevate canal walls  Structural  Ala Wai Canal  Execuate to deepen the existing canal and stabilize  Consideration  Under  Consid	Flap gates on storm					
Elevate canal walls  Structural  Ala Wai Canal  Excavate to deepen the existing canal and stabilize consideration  Deepen the canal  Structural  Ala Wai Canal  Dig existing walls deeper to turn the canal into a periodic pump drainage Structural  Ala Wai Canal  New canal walls  Structural  Ala Wai Canal  Ala Wai Canal  Construct new canal walls as the existing wall is old and crumbling  Construct new canal walls as the existing wall is old and crumbling  Widen the canal to provide greater flow and storage capacity  Dredge canal to Dredge Canal to Dredge Canal depth  Structural  Ala Wai Canal  Dredge canal down to its original depth of 15' to 25' Dredge Canal depth  Structural  Ala Wai Canal  Dredge the Manoa-Palolo channel  Dredge Manoa-Palolo  Structural Ala Wai Canal  Dredge the Manoa-Palolo channel  Under consideration  Dredge the Manoa-Palolo channel  Under consideration  Und	drains	Non-structural	and Ala Moana Blvd.			
Deepen the canal Structural Ala Wai Canal Dig existing floodwalls.  Deepen canal for Deriodic pump drainage Structural Ala Wai Canal Dig existing walls deeper to turn the canal into a periodic pump drainage to address inundation by all three sources of flooding consideration consideration dand crumbling Construct new canal walls as the existing wall is old and crumbling Consideration dand crumbling Consideration Dredge canal to provide greater flow and storage consideration Dredge canal down to its original depth of 15' to 25' Under consideration Dredge Canal down to its original depth of 15' to 25' Under consideration Dredge Manoa-Palolo Structural Ala Wai Canal Dredge the Manoa-Palolo channel Canal Clean ups Non-structural Ala Wai Canal Involve the community to conduct regular clean ups Under consideration Use "genki balls" to clean up and eliminate sludge in the canal Consideration Use "genki balls" to clean up and eliminate sludge in Under consideration Use underwater pumps to create a lower profile pumping station Use several smaller radius miter gates to minimize visual impacts (to be used in conjunction with pump station)  Miter gates Structural Ala Wai Canal Ala Wai Canal				1		
Deepen the canal Structural Ala Wai Canal existing floodwalls.  Dig existing walls deeper to turn the canal into a periodic pump drainage to address inundation by all three sources of flooding consideration  New canal walls Structural Ala Wai Canal Construct new canal walls as the existing wall is old and crumbling consideration  Widen the canal to provide greater flow and storage consideration  Widen canal Structural Ala Wai Canal Capacity Consideration  Dredge canal to original depth Structural Ala Wai Canal Since current dredging only goes down to 12'.  Dredge Manoa-Palolo Structural Ala Wai Canal Canal Capacity Consideration  Dredge Manoa-Palolo Structural Ala Wai Canal Canal Capacity Consideration  Dredge Manoa-Palolo Structural Ala Wai Canal Canal Capacity Consideration  Dredge the Manoa-Palolo channel Consideration Canal Clean ups Non-structural Ala Wai Canal Canal Canal Canal Capacity Consideration Canal Capacity Capa	Elevate canal walls	Structural	Ala Wai Canal			
Dig existing walls deeper to turn the canal into a periodic pump drainage to address inundation by all three sources of flooding consideration consideration.  New canal walls  Structural Ala Wai Canal Construct new canal walls as the existing wall is old and crumbling consideration.  Widen canal Structural Ala Wai Canal Widen the canal to provide greater flow and storage capacity consideration.  Dredge canal to Dredge canal down to its original depth of 15' to 25' consideration.  Dredge Manoa-Palolo Structural Ala Wai Canal Dredge the Manoa-Palolo channel consideration.  Dredge Manoa-Palolo Structural Ala Wai Canal Involve the community to conduct regular clean ups Canal clean ups Non-structural Ala Wai Canal Involve the community to clean up and eliminate sludge in the canal.  Debris management Non-structural Ala Wai Canal Better manage the debris that ends up in the canal consideration.  Duder Consideration Under Consideration Und						
Deepen canal for periodic pump drainage to address inundation by all three sources of flooding consideration consideration.  New canal walls Structural Ala Wai Canal Structural Ala Wai Canal Construct new canal walls as the existing wall is old and crumbling consideration.  Widen canal Structural Ala Wai Canal Wai Canal Capacity Widen the canal to provide greater flow and storage consideration.  Dredge canal to briginal depth Structural Ala Wai Canal Capacity Consideration.  Dredge canal down to its original depth of 15' to 25' Under consideration.  Dredge Manoa-Palolo Structural Ala Wai Canal Capacity Consideration.  Dredge Manoa-Palolo Structural Ala Wai Canal Capacity Consideration.  Dredge Manoa-Palolo Structural Ala Wai Canal Capacity Consideration.  Dredge the Manoa-Palolo channel Consideration.  Under Consideration.	Deepen the canal	Structural	Ala Wai Canal		consideration	
periodic pump drainage Structural Ala Wai Canal three sources of flooding Consideration Dredge Capacity Ala Wai Canal Structural Ala Wai Canal Structural Ala Wai Canal Capacity Capaci						
New canal walls  Structural  Ala Wai Canal  Widen the canal to provide greater flow and storage Widen canal  Structural  Ala Wai Canal  Structural  Ala Wai Canal  Dredge canal to Original depth  Structural  Ala Wai Canal  Dredge canal down to its original depth of 15' to 25' Since current dredging only goes down to 12'.  Dredge Manoa-Palolo  Structural  Ala Wai Canal  Dredge the Manoa-Palolo channel  Canal clean ups  Non-structural  Ala Wai Canal  Involve the community to conduct regular clean ups  Under Consideration  Under Con						
New canal walls  Structural  Ala Wai Canal  Widen the canal to provide greater flow and storage capacity  Dredge canal to Dredge canal to Dredge Canal to Dredge Manoa-Palolo  Structural  Ala Wai Canal  Dredge the Manoa-Palolo channel  Canal clean ups  Non-structural  Non-structural  Ala Wai Canal  Debris management  Non-structural  Ala Wai Canal  Debris management  Non-structural  Ala Wai Canal  Debris management  Structural  Ala Wai Canal  Debris management  Non-structural  Ala Wai Ca	periodic pump drainage	Structural	Ala Wai Canal	*		
Widen canal Structural Ala Wai Canal Dredge canal to Dredge canal down to its original depth of 15' to 25' Dredge Canal down to its original depth of 15' to 25' Dredge Manoa-Palolo Structural Ala Wai Canal Dredge the Manoa-Palolo channel  Canal clean ups Non-structural Ala Wai Canal Dredge the Manoa-Palolo channel  Canal clean ups Non-structural Ala Wai Canal Dredge the Manoa-Palolo channel Under Consideration Under Co						
Widen canal Structural Ala Wai Canal capacity consideration Dredge canal to original depth Structural Ala Wai Canal since current dredging only goes down to 12'.  Dredge Manoa-Palolo Structural Ala Wai Canal Dredge the Manoa-Palolo channel consideration  Dredge the Manoa-Palolo channel consideration  Under consideration  Use "genki balls" to clean up and eliminate sludge in the canal.  Under consideration  Use underwater pumps to create a lower profile pumping station  Use several smaller radius miter gates to minimize visual impacts (to be used in conjunction with pump station)  Use a lowered structure underwater that could be raised in an event instead of a miter dam. (to be used in consideration consideration  Relocate pump station to the golf course. Use a series of retractable flood barriers that would allow for 4  Under consideration  Use a lowered structure underwater that could be raised in an event instead of a miter dam. (to be used in conjunction with pump station)  Relocate pump station to the golf course. Use a series of retractable flood barriers that would allow for 4	New canal walls	Structural	Ala Wai Canai			
Dredge canal to original depth Structural Ala Wai Canal Dredge canal down to its original depth of 15' to 25' since current dredging only goes down to 12'.  Dredge Manoa-Palolo Structural Ala Wai Canal Dredge the Manoa-Palolo channel Under consideration Use "genki balls" to clean up and eliminate sludge in the canal.  Debris management Non-structural Ala Wai Canal Better manage the debris that ends up in the canal Under consideration Under consideration Under consideration Under consideration Under consideration Use underwater pumps to create a lower profile pumping station Use several smaller radius miter gates to minimize visual impacts (to be used in conjunction with pump station)  With gates Structural Ala Wai Canal Under consideration Use a lowered structure underwater that could be raised in an event instead of a miter dam. (to be used Under consideration)  Relocate pump station to the golf course. Use a series of retractable flood barriers that would allow for 4  Under consideration Under consideration Under consideration Under consideration Under consideration Use a lowered structure underwater that could be raised in an event instead of a miter dam. (to be used Under consideration Under consideration Under consideration Under consideration Use a lowered structure underwater that could be raised in an event instead of a miter dam. (to be used Under consideration Under Conside	M/:-I	04	Al- \A/-: O			
Dredge Manoa-Palolo Dredge Manoa-Palolo Dredge Manoa-Palolo Dredge Manoa-Palolo Dredge Manoa-Palolo Dredge the Manoa-Palolo channel Under Unde		Structural	Ala Wai Canai			
Dredge Manoa-Palolo Structural Ala Wai Canal Dredge the Manoa-Palolo channel Under Canal clean ups Non-structural Ala Wai Canal Use "genki balls" to clean up and eliminate sludge in the canal. Use "genki balls" to clean up and eliminate sludge in the canal. Under Consideration Under Co		C4	Ala Mai Canal			
Dredge Manoa-Palolo  Structural Ala Wai Canal Dredge the Manoa-Palolo channel  Canal clean ups  Non-structural Ala Wai Canal Involve the community to conduct regular clean ups  Use "genki balls" to clean up and eliminate sludge in the canal.  Debris management  Non-structural Ala Wai Canal  Debris management  Non-structural Ala Wai Canal  Determinate sludge  Non-structural Ala Wai Canal  Determinate sludge  Non-structural Ala Wai Canal  Determinate sludge  Non-structural Ala Wai Canal  Determinate sludge in the canal consideration  Under consideration  Use underwater pumps to create a lower profile pumping station  Use several smaller radius miter gates to minimize visual impacts (to be used in conjunction with pump station)  Use a lowered structure underwater that could be raised in an event instead of a miter dam. (to be used in consideration)  Relocate pump station to the golf course. Use a series of retractable flood barriers that would allow for 4  Under  Under  Consideration  Under  Consider	originai depth	Structural	Ala vvai Canai	since current dreaging only goes down to 12.		
Canal clean ups Non-structural Ala Wai Canal Involve the community to conduct regular clean ups Consideration  Use "genki balls" to clean up and eliminate sludge in the canal.  Debris management Non-structural Ala Wai Canal Better manage the debris that ends up in the canal Consideration  Use under pumps to create a lower profile pumping station  Use several smaller radius miter gates to minimize visual impacts (to be used in conjunction with pump station)  Whiter gates Structural Ala Wai Canal Use a lowered structure underwater that could be raised in an event instead of a miter dam. (to be used Lowered gate structure Structural Ala Wai Canal Relocate pump station to the golf course. Use a series of retractable flood barriers that would allow for 4  Under consideration  Use a lowered structure underwater that could be raised in an event instead of a miter dam. (to be used in conjunction with pump station)  Relocate pump station to the golf course. Use a series of retractable flood barriers that would allow for 4	Dradge Manag Dalala	Ctrustural	Ala Mai Canal	Dradge the Manae Balala shannal		
Canal clean ups Non-structural Ala Wai Canal Involve the community to conduct regular clean ups consideration  Use "genki balls" to clean up and eliminate sludge in the canal.  Debris management Non-structural Ala Wai Canal Better manage the debris that ends up in the canal Under consideration  Use underwater pumps to create a lower profile pumping station Under consideration  Use several smaller radius miter gates to minimize visual impacts (to be used in conjunction with pump station)  Use a lowered structure underwater that could be raised in an event instead of a miter dam. (to be used Lowered gate structure)  Retractable flood  Involve the community to conduct regular clean ups consideration  Under consideration  Under consideration  Under consideration  Use several smaller radius miter gates to minimize visual impacts (to be used in conjunction with pump station)  Use a lowered structure underwater that could be raised in an event instead of a miter dam. (to be used in conjunction with pump station)  Relocate pump station to the golf course. Use a series of retractable flood barriers that would allow for 4  Under consideration	Dreuge Marioa-Palolo	Structural	Ala Wal Carial			
Use "genki balls" to clean up and eliminate sludge in the canal.  Under consideration  Use underwater pumps to create a lower profile pumping station  Use several smaller radius miter gates to minimize visual impacts (to be used in conjunction with pump station)  Use a lowered structure underwater that could be raised in an event instead of a miter dam. (to be used in consideration)  Retractable flood  Use "genki balls" to clean up and eliminate sludge in the canal consideration  Under consideration  Under consideration  Under consideration  Under consideration  Under consideration  Under consideration  Use a lowered structure underwater that could be raised in an event instead of a miter dam. (to be used in conjunction with pump station)  Relocate pump station to the golf course. Use a series of retractable flood barriers that would allow for 4	Canal cloan unc	Non etructural	Ala Wai Canal			
EM to eliminate sludge Non-structural Ala Wai Canal the canal. consideration  Debris management Non-structural Ala Wai Canal Better manage the debris that ends up in the canal consideration  Under consideration  Use underwater pumps to create a lower profile pumping station  Use several smaller radius miter gates to minimize visual impacts (to be used in conjunction with pump station)  Witer gates Structural Ala Wai Canal Structure underwater that could be raised in an event instead of a miter dam. (to be used in consideration)  Lowered gate structure Structural Ala Wai Canal in conjunction with pump station)  Relocate pump station to the golf course. Use a series of retractable flood barriers that would allow for 4	Cariai cieari ups	Non-Siluciulai	Ala Wal Callal	7 5 1		
Debris management Non-structural Ala Wai Canal Better manage the debris that ends up in the canal consideration  Use underwater pumps to create a lower profile pumping station  Use several smaller radius miter gates to minimize visual impacts (to be used in conjunction with pump station)  Use a lowered structure underwater that could be raised in an event instead of a miter dam. (to be used under that consideration)  Lowered gate structure Structural Ala Wai Canal in conjunction with pump station)  Retractable flood  Retractable flood  Retractable flood  Dunder consideration  Under consideration	EM to eliminate sludge	Non-etructural	Ala Wai Canal	, ,		
Debris management Non-structural Ala Wai Canal Better manage the debris that ends up in the canal consideration  Use underwater pumps to create a lower profile pumping station  Use several smaller radius miter gates to minimize visual impacts (to be used in conjunction with pump station)  Witer gates Structural Ala Wai Canal Use a lowered structure underwater that could be raised in an event instead of a miter dam. (to be used in consideration)  Lowered gate structure Structural Ala Wai Canal in conjunction with pump station)  Relocate pump station to the golf course. Use a series of retractable flood barriers that would allow for 4	Livi to eliminate sidage	Non-Siluciulai	Ala Wal Callal			
Use underwater pumps to create a lower profile pumping station  Use several smaller radius miter gates to minimize visual impacts (to be used in conjunction with pump station)  Miter gates  Structural Ala Wai Canal Use a lowered structure underwater that could be raised in an event instead of a miter dam. (to be used in conjunction with pump station)  Lowered gate structure Structural Ala Wai Canal in conjunction with pump station)  Relocate pump station to the golf course. Use a series of retractable flood barriers that would allow for 4	Dehris management	Non-structural	Ala Wai Canal		0.110.01	
Submersible pumps	Debits management	14011 Structural	7 lia VVai Gariai	1		
Use several smaller radius miter gates to minimize visual impacts (to be used in conjunction with pump station)  Use a lowered structure underwater that could be raised in an event instead of a miter dam. (to be used in conjunction with pump station)  Lowered gate structure Structural Ala Wai Canal in conjunction with pump station)  Relocate pump station to the golf course. Use a series of retractable flood barriers that would allow for 4	Submersible numps	Structural	Ala Wai Canal		0.110.01	
visual impacts (to be used in conjunction with pump station)  Use a lowered structure underwater that could be raised in an event instead of a miter dam. (to be used in conjunction with pump station)  Lowered gate structure  Structural Ala Wai Canal in conjunction with pump station)  Relocate pump station to the golf course. Use a series of retractable flood barriers that would allow for 4	Cubinorololo pumpo	<u> </u>	, iid Trai Gariai		CONCIDENTATION	
Miter gates Structural Ala Wai Canal station) consideration  Use a lowered structure underwater that could be raised in an event instead of a miter dam. (to be used in conjunction with pump station)  Relocate pump station to the golf course. Use a series of retractable flood barriers that would allow for 4					Under	
Use a lowered structure underwater that could be raised in an event instead of a miter dam. (to be used in conjunction with pump station)  Relocate pump station to the golf course. Use a series of retractable flood under Under	Miter gates	Structural	Ala Wai Canal			
raised in an event instead of a miter dam. (to be used in conjunction with pump station)  Relocate pump station to the golf course. Use a series of retractable flood retractable flood Under	inite: gates	<u> </u>	,		001101001011011	
Lowered gate structure Structural Ala Wai Canal in conjunction with pump station) consideration  Relocate pump station to the golf course. Use a series of retractable flood barriers that would allow for 4 Under				raised in an event instead of a miter dam. (to be used	Under	
Relocate pump station to the golf course. Use a series of retractable flood parriers that would allow for 4 Under	Lowered gate structure	Structural	Ala Wai Canal		consideration	
Retractable flood of retractable flood barriers that would allow for 4 Under	Ĭ					
parriers Structural Ala Wai Canal rowing lanes (44' wide) across the width of the canal.   consideration	Retractable flood				Under	
	barriers	Structural	Ala Wai Canal	rowing lanes (44' wide) across the width of the canal.	consideration	

NOTE: Displaying example measures previously contributed by stakeholders and/or members of the public.



# **ENHANCED PUBLIC ENGAGEMENT: NEXT 90 DAYS**



- January 20, 2022 (Thurs): Public Information Forum (virtual)
- March April 2022: workshops targeting sub-watersheds
- Ongoing: public input via website and email
- Crowdsource Reporter until end of January
- Public informs the process, so if you want to be heard... write.
- USACE must start the process of developing, analyzing and selecting alternatives after workshops
- Final decision will be made by the City based on recommendation from USACE



# **GROUND RULES: Q & A**



- 1. Post comments and questions in the chat or use the "raise hand" tool.
- 2. Keep your audio on mute unless speaking.
- 3. Introduce yourself briefly the first time you speak.
- 4. When speaking, be conscious of acronyms and technical language.
- 5. Be mindful and help ensure that others have a chance to speak.
- 6. One verbal comment or question per person, please.





Thank you for your participation! Please stay engaged:

- Email the project team: <u>AlaWai@Honolulu.gov</u>.
- Post more ideas on Crowdsource Reporter! (until January 31)
   https://lrp.maps.arcgis.com/apps/CrowdsourceReporter/index.html?appid=df9e77c

   ff6454945ad3dc75716a044ec
- Check the project website: <a href="https://www.honolulu.gov/AlaWai">https://www.honolulu.gov/AlaWai</a>.
  - "Contact Us" form
  - Public meeting announcements
  - Public engagement plan
  - FAQs
  - Management measure tracker